

4

RECEIVED

MAR 17 2009

4


INTERNAL SECURITY

OLD OUTLET DESIGNATION:

|                                      |       |             |                                  |
|--------------------------------------|-------|-------------|----------------------------------|
| VOL DISCHARGED THIS PERIOD           |       |             |                                  |
| 81008.4                              |       | GALS        |                                  |
| CU. FT X 7.48 = GALLONS              |       |             |                                  |
| 59349                                | -     | 58209       | = 1140 X 10 X 7.48 = 85272 -5% = |
| EFFLUENT METER READING LAST DAY THIS |       |             |                                  |
| PERIOD                               | 59349 | Last Period | 58209                            |

[illegible]

that this document and all att



NJDEP Certified Laboratory No. 14964

973-335-CALI

FAX 973-335-0556

E-MAIL: calilabs@earthlink.net

WEBSITE: www.calilabs.com

COMPLETE ANALYSIS LABORATORIES INC.

1259 Route 46, Building #4/C  
Parsippany, NJ 07054-4909

Mr. Moshe Majer  
A&B Famous Gefilte fish Inc.  
209 McLean Blvd  
Paterson, NJ 07054

**ANALYSIS REPORT**REPORT DATE: FEB 24, 2009PROJECT NO : 914000LAB ID NO: 914000.1FIELD ID NO: ABFG-0210Sample: Liquid, Sampled by Customer on 2/10/09

| Parameter        | Method No | Result<br>(mg/L) | Analysis<br>Date Time | RLs<br>(mg/L) | DF |
|------------------|-----------|------------------|-----------------------|---------------|----|
| BOD <sub>5</sub> | 405.1     | 324              | 2/12/09 7:36          | 2.0           | 1  |
| TSS              | 160.2     | 349              | 2/11/09 8:00          | 4.0           | 1  |

**Definitions:****pH** Unit, **J**= Compound Detected but Below MDL, **RLs**= Laboratory Reporting Limits,**MDL**= Method Detection Limit, **DF**= Dilution Factor, **ND** = Not Detected, **RL** = MDL x DF

Approved By:

Zvi Blank, Ph.D., CHMM  
Laboratory Director

*The Standard of Excellence in Laboratory Service*

**USER CHARGE SELF MONITORING REPORT**


NAME: A &amp; B FAMOUS GEFILTE FISH, INC.

ADDRESS: 209 MCLEAN BOULVARD PATERSON, NJ 07504

FACILITY LOCATION: 209 MCLEAN BOULVARD PATERSON, NJ 07504

NEW CUSTOMER ID / OUTLET ID: 27210031 - 1

OLD OUTLET DESIGNATION:




| MONITORING PERIOD |     |    |     |     |    |  |
|-------------------|-----|----|-----|-----|----|--|
| Start             |     |    | End |     |    |  |
| Feb               | 01  | 09 | Feb | 28  | 09 |  |
| MO                | DAY | YR | MO  | DAY | YR |  |

|                                      |       |       |             |      |               |            |
|--------------------------------------|-------|-------|-------------|------|---------------|------------|
| VOL DISCHARGED THIS PERIOD           |       |       |             |      |               |            |
| 81008.4                              |       |       |             | GALS |               |            |
| CU. FT X 7.48 = GALLONS              |       |       |             |      |               |            |
| 59349                                | -     | 58209 | =           | 1140 | X 10 X 7.48 = | 85272 -5%= |
| EFFLUENT METER READING LAST DAY THIS |       |       |             |      |               |            |
| PERIOD                               | 59349 |       | Last Period |      | 58209         |            |

| DATE        | BOD        | TSS        |
|-------------|------------|------------|
| Feb 10 2009 | 324 (mg/l) | 349 (mg/l) |
|             |            |            |
|             |            |            |
|             |            |            |
|             |            |            |
|             |            |            |
|             |            |            |
|             |            |            |
|             |            |            |
|             |            |            |
|             |            |            |
|             |            |            |
|             |            |            |
|             |            |            |

| DATE | BOD | TSS |
|------|-----|-----|
|      |     |     |
|      |     |     |
|      |     |     |
|      |     |     |
|      |     |     |
|      |     |     |
|      |     |     |
|      |     |     |
|      |     |     |
|      |     |     |
|      |     |     |
|      |     |     |
|      |     |     |
|      |     |     |

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

| SIGNATURE OF PRINCIPAL OR AUTHORIZED AGENT  | TYPE NAME AND TITLE | TELEPHONE NUMBER      |
|---|---------------------|-----------------------|
|  | Motty Berger        | 973-523-4101 ext. 103 |
|   |                     |                       |
|   |                     | DATE March 16, 2009   |

NJDEP Certified Laboratory No. 14964

973-335-CALI

FAX 973-335-0556

E-MAIL: calilabs@earthlink.net

WEBSITE: www.calilabs.com

COMPLETE ANALYSIS LABORATORIES INC.

1259 Route 46, Building #4/C  
Parsippany, NJ 07054-4909

Mr. Moshe Majer  
A&B Famous Gefilte fish Inc.  
209 McLean Blvd  
Paterson, NJ 07054

**ANALYSIS REPORT**REPORT DATE: FEB 24, 2009PROJECT NO : 914000LAB ID NO: 914000.1FIELD ID NO: ABFG-0210Sample: Liquid, Sampled by Customer on 2/10/09

| Parameter        | Method No | Result<br>(mg/L) | Analysis<br>Date Time | RLs<br>(mg/L) | DF |
|------------------|-----------|------------------|-----------------------|---------------|----|
| BOD <sub>5</sub> | 405.1     | 324              | 2/12/09 7:36          | 2.0           | 1  |
| TSS              | 160.2     | 349              | 2/11/09 8:00          | 4.0           | 1  |

**Definitions:****pH** Unit, **J**= Compound Detected but Below MDL, **RLs**= Laboratory Reporting Limits,**MDL**= Method Detection Limit, **DF**= Dilution Factor, **ND** = Not Detected, **RL** = MDL x DF

Approved By:

Zvi Blank, Ph.D., CHMM  
Laboratory Director

*The Standard of Excellence in Laboratory Service*

